Pain 102 (2003) 313–315

PAIN

www.elsevier.nl/locate/pain

Author Index to Volume 102 (2003)

Angst, M.S., see Lötsch, J., **102** 151
Appleton, B.B., see Geisser, M.E., **102** 243
Auray, J.-P., see Lantéri-Minet, M., **102** 143

Baron, R., see Jensen, T.S., **102** 1
Basbaum, A.I., Zeitz, K.P., Reply to Yukhananov and Kissin, **102** 310
Benedetti, F., see Pollo, A., **102** 125
Bentley, D.E., Derbyshire, S.W.G., Youell, P.D., Jones, A.K.P., Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Beyer, J.E., see Jacob, E., **102** 187
Bezemer, P.D., see Perez, R.S.G.M., **102** 297
Bhola, R., see Levy, M.J., **102** 235
Bradesi, S., Eutamene, H., Garcia-Villar, R., Fioramonti, J., Bueno, L., Stress-induced visceral hypersensitivity in female rats is estrogen-dependent and involves tachykinin NK1 receptors, **102** 227
Bradshaw, D.H., see Donaldson, G.W., **102** 97
Bridgewater, L., see Dunphy, R.C., **102** 79
Brucksch, C.B., see Geisser, M.E., **102** 243
Buchbinder, R., see Hoving, J.L., **102** 273
Bueno, L., see Bradesi, S., **102** 227

Calabresi, M., see Veneroni, O., **102** 17
Cannon, R.C., see Staud, R., **102** 87
Casey, K.L., see Geisser, M.E., **102** 243
Chandran, P., Sluka, K.A., Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195
Chapman, C.N., see Donaldson, G.W., **102** 97
Chapman, C.R., see Donaldson, G.W., **102** 97
Chazot, G., see Lantéri-Minet, M., **102** 143
Cherry, D.A., Gourlay, G.K., Eldredge, K.A., Management of chronic intractable angina – spinal opioids offer an alternative therapy, **102** 163
Clark, A.J., see Ware, M.A., **102** 211
Critchlow, C.W., see John, M.T., **102** 257
Crofford, L.J., see Geisser, M.E., **102** 243

Dartigues, J.-F., see Lantéri-Minet, M., **102** 143
de Lange, J.J., see Perez, R.S.G.M., **102** 297
Derbyshire, S.W.G., see Bentley, D.E., **102** 265
Donaldson, G.W., Chapman, C.R., Nakamura, Y., Bradshaw, D.H., Jacobson, R.C., Chapman, C.N., Pain and the defense response: structural equation modeling reveals a coordinated psychophysiological response to increasing painful stimulation, **102** 97
Doyle, C.R., see Ware, M.A., **102** 211
Dunphy, R.C., Bridgewater, L., Price, D.D., Robinson, M.E., Zeilman III, C.J., Verne, G.N., Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Duru, G., see Lantéri-Minet, M., **102** 143
Dvorak, M., see Rukwied, R., **102** 283

Ecoiffier, M., see Marquié, L., **102** 289
El Hasnaoui, A., see Lantéri-Minet, M., **102** 143
Eldredge, K.A., see Cherry, D.A., **102** 163
Eutamene, H., see Bradesi, S., **102** 227
Evers, S., Schmidt, O., Frese, A., Husstedt, I.-W., Ringelstein, E.B., The cerebral hemodynamics of headache associated with sexual activity, **102** 73

Faravelli, L., see Veneroni, O., **102** 17
Fariello, R.G., see Veneroni, O., **102** 17
Feuerstein, M., Shaw, W.S., Lincoln, A.E., Miller, V.I., Wood, P.M., Clinical and workplace factors associated with a return to modified duty in work-related upper extremity disorders, **102** 51
Fink, D.J., see Hao, S., **102** 135
Fioramonti, J., see Bradesi, S., **102** 227
Frese, A., see Evers, S., **102** 73

Gaiser, R.R., see Mannes, A.J., **102** 251
Garcia-Villar, R., see Bradesi, S., **102** 227
Gaudin, A.-F., see Lantéri-Minet, M., **102** 143
Geisser, M.E., Casey, K.L., Brucksch, C.B., Ribbens, C.M., Appleton, B.B., Crofford, L.J., Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
Glorioso, J.C., see Hao, S., **102** 135
Goadsby, P.J., see Levy, M.J., **102** 235
Goins, W., see Hao, S., **102** 135
Gourlay, G.K., see Cherry, D.A., **102** 163
Green, S., see Hoving, J.L., **102** 273
Greenspan, J.D., see Sarlani, E., **102** 221

Hamers, F.F.T., see Vrinten, D.H., **102** 203
Hao, S., Mata, M., Goins, W., Glorioso, J.C., Fink, D.J., Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
Henry, P., see Lantéri-Minet, M., **102** 143
Hermens, H.J., see Nederhand, M.J., **102** 63
Hoving, J.L., O'Leary, E.F., Niere, K.R., Green, S., Buchbinder, R., Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Husstedt, I.-W., see Evers, S., **102** 73

Iadarola, M.J., see Mannes, A.J., **102** 251
IJzerman, M.J., see Nederhand, M.J., **102** 63

Jacob, E., Miaskowski, C., Savedra, M., Beyer, J.E., Treadwell, M., Styles, L., Changes in intensity, location, and quality of vaso-occlusive pain in children with sickle cell disease, **102** 187
Jacobson, R.C., see Donaldson, G.W., **102** 97
Jasmin, L., see Tien, D., **102** 39
Jensen, M.P., see Labus, J.S., **102** 109
Jensen, T.S., Baron, R., Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1

doi:10.1016/S0304-3959(03)00105-2

John, M.T., Miglioretti, D.L., LeResche, L., Von Korff, M., Critchlow, C.W., Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Jones, A.K.P., see Bentley, D.E., **102** 265

Keefe, F.J., see Labus, J.S., **102** 109
Keller, J.M., see Mannes, A.J., **102** 251
Kissin, I., see Yukhananov, R.Y., **102** 309
Kuik, D.J., see Perez, R.S.G.M., **102** 297

Labus, J.S., Keefe, F.J., Jensen, M.P., Self-reports of pain intensity and direct observations of pain behavior: when are they correlated?, **102** 109
Lantéri-Minet, M., Auray, J.-P., El Hasnaoui, A., Dartigues, J.-F., Duru, G., Henry, P., Lucas, C., Pradalier, A., Chazot, G., Gaudin, A.-F., Prevalence and description of chronic daily headache in the general population in France, **102** 143
Larson, A.A., see Tien, D., **102** 39
Lauque, D., see Marquié, L., **102** 289
LeResche, L., see John, M.T., **102** 257
Levy, M.J., Matharu, M.S., Bhola, R., Lightman, S., Goadsby, P.J., Somatostatin infusion withdrawal: a study of patients with migraine, cluster headache and healthy volunteers, **102** 235
Lewin, S., see Mannes, A.J., **102** 251
Lightman, S., see Levy, M.J., **102** 235
Lincoln, A.E., see Feuerstein, M., **102** 51
Lötsch, J., Angst, M.S., The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Lucas, C., see Lantéri-Minet, M., **102** 143
Lynch, M.E., see Ware, M.A., **102** 211

Maj, R., see Veneroni, O., **102** 17
Mannes, A.J., Martin, B.M., Yang, H.-Y.T., Keller, J.M., Lewin, S., Gaiser, R.R., Iadarola, M.J., Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Mariné, C., see Marquié, L., **102** 289
Marquié, L., Raufaste, E., Lauque, D., Mariné, C., Ecoiffier, M., Sorum, P., Pain rating by patients and physicians: evidence of systematic pain miscalibration, **102** 289
Martin, B.M., see Mannes, A.J., **102** 251
Mata, M., see Hao, S., **102** 135
Matharu, M.S., see Levy, M.J., **102** 235
Mauderli, A.P., see Staud, R., **102** 87
McGlone, F., see Rukwied, R., **102** 283
Miaskowski, C., see Jacob, E., **102** 187
Miglioretti, D.L., see John, M.T., **102** 257
Miller, V.I., see Feuerstein, M., **102** 51

Nakamura, Y., see Donaldson, G.W., **102** 97
Nederhand, M.J., Hermens, H.J., IJzerman, M.J., Turk, D.C., Zilvold, G., Chronic neck pain disability due to an acute whiplash injury, **102** 63
Niere, K.R., see Hoving, J.L., **102** 273
Nogueira, L., see Tortorici, V., **102** 9

O'Leary, E.F., see Hoving, J.L., **102** 273
Ohara, P.T., see Tien, D., **102** 39

Perez, R.S.G.M., Zuurmond, W.W.A., Bezemer, P.D., Kuik, D.J., van Loenen, A.C., de Lange, J.J., Zuidhof, A.J., The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study, **102** 297
Philippot, P., see Wunsch, A., **102** 27
Picavet, H.S.J., Schouten, J.S.A.G., Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Plaghki, L., see Wunsch, A., **102** 27
Pollo, A., Vighetti, S., Rainero, I., Benedetti, F., Placebo analgesia and the heart, **102** 125
Pradalier, A., see Lantéri-Minet, M., **102** 143
Price, D.D., see Dunphy, R.C., **102** 79
Price, D.D., see Staud, R., **102** 87

Rainero, I., see Pollo, A., **102** 125
Raufaste, E., see Marquié, L., **102** 289
Reid, A., see Sawynok, J., **102** 179
Ribbens, C.M., see Geisser, M.E., **102** 243
Ringelstein, E.B., see Evers, S., **102** 73
Robinson, M.E., see Dunphy, R.C., **102** 79
Robinson, M.E., see Staud, R., **102** 87
Rukwied, R., Watkinson, A., McGlone, F., Dvorak, M., Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283

Salas, R., see Tortorici, V., **102** 9
Salvati, P., see Veneroni, O., **102** 17
Sarlani, E., Greenspan, J.D., Evidence for generalized hyperalgesia in temporomandibular disorders patients, **102** 221
Savedra, M., see Jacob, E., **102** 187
Sawynok, J., Reid, A., Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
Schmidt, O., see Evers, S., **102** 73
Schott, G.D., Dr Peter Nathan, M.D., F.R.C.P., **102** 217
Schouten, J.S.A.G., see Picavet, H.S.J., **102** 167
Shaw, W.S., see Feuerstein, M., **102** 51
Sluka, K.A., see Chandran, P., **102** 195
Sorum, P., see Marquié, L., **102** 289
Staud, R., Cannon, R.C., Mauderli, A.P., Robinson, M.E., Price, D.D., Vierck Jr, C.J., Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome, **102** 87
Styles, L., see Jacob, E., **102** 187

Tien, D., Ohara, P.T., Larson, A.A., Jasmin, L., Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
Tortorici, V., Nogueira, L., Salas, R., Vanegas, H., Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Treadwell, M., see Jacob, E., **102** 187
Turk, D.C., see Nederhand, M.J., **102** 63

van Loenen, A.C., see Perez, R.S.G.M., **102** 297
Vanegas, H., see Tortorici, V., **102** 9
Veneroni, O., Maj, R., Calabresi, M., Faravelli, L., Fariello, R.G., Salvati, P., Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Verne, G.N., see Dunphy, R.C., **102** 79
Vierck Jr, C.J., see Staud, R., **102** 87
Vighetti, S., see Pollo, A., **102** 125
Von Korff, M., see John, M.T., **102** 257
Vrinten, D.H., Hamers, F.F.T., 'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203

Ware, M.A., Doyle, C.R., Woods, R., Lynch, M.E., Clark, A.J., Cannabis use for chronic non-cancer pain: results of a prospective survey, **102** 211
Watkinson, A., see Rukwied, R., **102** 283
Wood, P.M., see Feuerstein, M., **102** 51

Woods, R., see Ware, M.A., **102** 211
Wunsch, A., Philippot, P., Plaghki, L., Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27

Yang, H.-Y.T., see Mannes, A.J., **102** 251
Youell, P.D., see Bentley, D.E., **102** 265
Yukhananov, R.Y., Kissin, I., Comment on Zeitz, K.P., et al., Reduced development of tolerance to the analgesic effects of morphine and clonidine in PKC mutant mice, *PAIN 94 (2002) 245–253*, **102** 309

Zeilman III, C.J., see Dunphy, R.C., **102** 79
Zeitz, K.P., see Basbaum, A.I., **102** 310
Zilvold, G., see Nederhand, M.J., **102** 63
Zuidhof, A.J., see Perez, R.S.G.M., **102** 297
Zuurmond, W.W.A., see Perez, R.S.G.M., **102** 297

Pain 102 (2003) 317–320

PAIN

www.elsevier.nl/locate/pain

Subject index Volume 102 (2003)

Accuracy
Pain rating by patients and physicians: evidence of systematic pain miscalibration, **102** 289
Acetazolamide
The cerebral hemodynamics of headache associated with sexual activity, **102** 73
β-adrenoreceptors
Placebo analgesia and the heart, **102** 125
Allodynia
Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283
Amitriptyline
Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
Analgesia
Placebo analgesia and the heart, **102** 125
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Assessment
Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1
Cannabinoids
Cannabis use for chronic non-cancer pain: results of a prospective survey, **102** 211
Cannabinoid receptor
Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283
Capsaicin
Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283
Catastrophizing
Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
CatWalk
'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203
Cerebrospinal fluid
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Cholecystokinin
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Chronic abdominal pain
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Chronic constriction injury
'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Chronic daily headache
Prevalence and description of chronic daily headache in the general population in France, **102** 143
Chronic intractable angina
Management of chronic intractable angina – spinal opioids offer an alternative therapy, **102** 163
Chronic pain
Cannabis use for chronic non-cancer pain: results of a prospective survey, **102** 211
Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome, **102** 87
Cingulate cortex
Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Cluster headache
Somatostatin infusion withdrawal: a study of patients with migraine, cluster headache and healthy volunteers, **102** 235
Cohort study
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Complaints
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Complete Freund's adjuvant
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Complex regional pain syndrome type I
The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study, **102** 297
Consciousness
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
CURRY
Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Cutaneous hypersensitivity
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Cystatin C
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Defense response
Pain and the defense response: structural equation modeling reveals a coordinated psychophysiological response to increasing painful stimulation, **102** 97
Delta
Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195

doi:10.1016/S0304-3959(03)00106-4

Depression
Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
Desert storm
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Dextromethorphan
Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
Diagnosis
Prevalence and description of chronic daily headache in the general population in France, **102** 143
Disability
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Doppler sonography
The cerebral hemodynamics of headache associated with sexual activity, **102** 73
Dysfunctional chronic pain
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Electrical stimulation
Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195
Electromyography
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Emotion
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
Epidemiology
Cannabis use for chronic non-cancer pain: results of a prospective survey, **102** 211
Prevalence and description of chronic daily headache in the general population in France, **102** 143
Evaluative conditioning
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
Expectation
Placebo analgesia and the heart, **102** 125
Experimental headache
Somatostatin infusion withdrawal: a study of patients with migraine, cluster headache and healthy volunteers, **102** 235
Fibromyalgia
Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome, **102** 87
Formalin-evoked behaviors
Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
France
Prevalence and description of chronic daily headache in the general population in France, **102** 143
Free radical scavengers
The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study, **102** 297
Freeze lesion
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Gene transfer
Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
Health surveys
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Heart rate
Placebo analgesia and the heart, **102** 125
Herpes simplex virus
Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
HU210
Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283
Hyperalgesia
Cannabinoid agonists attenuate capsaicin-induced responses in human skin, **102** 283
Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Inflammatory pain
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Irritable bowel syndrome
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Ketamine
Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
Labor
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Laser pain evoked potentials
Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Latent growth
Pain and the defense response: structural equation modeling reveals a coordinated psychophysiological response to increasing painful stimulation, **102** 97
Mass spectrometry
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Matrix-assisted laser desorption ionization time of flight
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Mechanical allodynia
'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Mechanisms
Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1
Microinjection
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Migraine
Prevalence and description of chronic daily headache in the general population in France, **102** 143

Somatostatin infusion withdrawal: a study of patients with migraine, cluster headache and healthy volunteers, **102** 235
The cerebral hemodynamics of headache associated with sexual activity, **102** 73
Modified duty
Clinical and workplace factors associated with a return to modified duty in work-related upper extremity disorders, **102** 51
Morphine
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
Motor vehicle accident
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Mu
Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195
Multidimensional pain experience
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
Muscarinic receptors
Placebo analgesia and the heart, **102** 125
Muscle activity
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Muscle pain
Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome, **102** 87
Musculoskeletal
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Na^+ channel blocker
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Neck pain disability
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Neuropathic pain
'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203
Anti-allodynic effect of NW-1029, a novel Na^+ channel blocker, in experimental animal models of inflammatory and neuropathic pain, **102** 17
Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1
Nociceptive threshold
Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
Nodose ganglion
Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
NONMEM
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Opioid
Management of chronic intractable angina – spinal opioids offer an alternative therapy, **102** 163
Opioid systems
Placebo analgesia and the heart, **102** 125
Outcome assessment
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Pain
Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, **102** 195
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Pain and the defense response: structural equation modeling reveals a coordinated psychophysiological response to increasing painful stimulation, **102** 97
Placebo analgesia and the heart, **102** 125
Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
Pain affect
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
Pain assessment
Pain rating by patients and physicians: evidence of systematic pain miscalibration, **102** 289
Pain behavior observation
Self-reports of pain intensity and direct observations of pain behavior: when are they correlated?, **102** 109
Pain intensity self-report
Self-reports of pain intensity and direct observations of pain behavior: when are they correlated?, **102** 109
Pain perception
Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
Paw edema
Peripheral interactions between dextromethorphan, ketamine and amitriptyline on formalin-evoked behaviors and paw edema in rats, **102** 179
Periaqueductal gray
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Persian gulf war syndrome
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Pharmacodynamics
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Placebo
Placebo analgesia and the heart, **102** 125
Population-based
Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC_3-study, **102** 167
Prevalence
Prevalence and description of chronic daily headache in the general population in France, **102** 143
Problem elicitation technique
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Proglumide
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Prognosis
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257

Proteomics
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Psychophysiology
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Pump
Management of chronic intractable angina – spinal opioids offer an alternative therapy, **102** 163
Quality of life
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Randomized clinical trial
The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study, **102** 297
Rectal distension
Stress-induced visceral hypersensitivity in female rats is estrogen-dependent and involves tachykinin NK1 receptors, **102** 227
Remifentanil
The μ-opioid agonist remifentanil attenuates hyperalgesia evoked by blunt and punctuated stimuli with different potency: a pharmacological evaluation of the freeze lesion in humans, **102** 151
Return to work
Clinical and workplace factors associated with a return to modified duty in work-related upper extremity disorders, **102** 51
Risk
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Sex steroid hormone
Stress-induced visceral hypersensitivity in female rats is estrogen-dependent and involves tachykinin NK1 receptors, **102** 227
Sexual headache
The cerebral hemodynamics of headache associated with sexual activity, **102** 73
Sickle cell disease
Changes in intensity, location, and quality of vaso-occlusive pain in children with sickle cell disease, **102** 187
Sickle cell pain
Changes in intensity, location, and quality of vaso-occlusive pain in children with sickle cell disease, **102** 187
Signs
Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1
Somatization
Perception of noxious and innocuous heat stimulation among healthy women and women with fibromyalgia: association with mood, somatic focus, and catastrophizing, **102** 243
Source localisation
Caudal cingulate cortex involvement in pain processing: an inter-individual laser evoked potential source localisation study using realistic head models, **102** 265
Startle reflex
Affective associative learning modifies the sensory perception of nociceptive stimuli without participant's awareness, **102** 27
Stress
Stress-induced visceral hypersensitivity in female rats is estrogen-dependent and involves tachykinin NK1 receptors, **102** 227
Structural equation models
Pain and the defense response: structural equation modeling reveals a coordinated psychophysiological response to increasing painful stimulation, **102** 97
Subtraction cloning
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Surface enhanced laser desorption ionization
Cystatin C as a cerebrospinal fluid biomarker for pain in humans, **102** 251
Symptoms
Translation of symptoms and signs into mechanisms in neuropathic pain, **102** 1
Temporal summation
Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome, **102** 87
Temporomandibular disorder pain
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Therapeutics
Cannabis use for chronic non-cancer pain: results of a prospective survey, **102** 211
Tolerance
Involvement of local cholecystokinin in the tolerance induced by morphine microinjections into the periaqueductal gray of rats, **102** 9
Transgene-mediated enkephalin release enhances the effect of morphine and evades tolerance to produce a sustained antiallodynic effect in neuropathic pain, **102** 135
Vagus nerve
Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice, **102** 39
Validity
Self-reports of pain intensity and direct observations of pain behavior: when are they correlated?, **102** 109
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Vaso-occlusive pain
Changes in intensity, location, and quality of vaso-occlusive pain in children with sickle cell disease, **102** 187
Visceral hypersensitivity
Visceral and cutaneous hypersensitivity in Persian Gulf war veterans with chronic gastrointestinal symptoms, **102** 79
Visceral pain
Stress-induced visceral hypersensitivity in female rats is estrogen-dependent and involves tachykinin NK1 receptors, **102** 227
Visual analog scale
Pain rating by patients and physicians: evidence of systematic pain miscalibration, **102** 289
Von Frey
'CatWalk' automated quantitative gait analysis as a novel method to assess mechanical allodynia in the rat; a comparison with von Frey testing, **102** 203
Whiplash
Validity of the neck disability index, Northwick Park neck pain questionnaire, and problem elicitation technique for measuring disability associated with whiplash-associated disorders, **102** 273
Whiplash-associated disorder
Chronic neck pain disability due to an acute whiplash injury, **102** 63
Widespread pain
Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain, **102** 257
Work-related upper extremity disorders
Clinical and workplace factors associated with a return to modified duty in work-related upper extremity disorders, **102** 51